



P3CARS.COM
PRECISION • PASSION • PERFORMANCE

Please download the latest copy of this document from www.p3cars.com/install

AUDI C7 Install Guide



1 On the upper left depress the clip releasing the fascia from the housing.



2 Pull fascia forward to insure all clips are equally released.



3 Using a very thin flat head screw driver release the bottom clips as shown.



4 Pry forward on the fascia gently to release the clips from left to right.

WARRANTY & LIABILITY:
Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



5 Once the far right clip is released fascia can be pulled free.




6 You should now have the vent housing and fascia separated.




P3CARS.COM
PRECISION • PASSION • PERFORMANCE

Please download the latest copy of this document from www.p3cars.com/install




7 Starting with the left side loosen the top vent slat.



8 While leaving the first vent slat free on the left remove the second vent slat.



9 Once the second vent slat is out pull the top slat downward slightly as shown to loosen.




10 With a small flat head screw driver release vent slat from retainer clip as seen here highlighted by finger.

WARRANTY & LIABILITY:
Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



11 Feed the display cable into the vent housing on the far left side of the vent.



12 Pull the cable out the rear of the vent.




P3CARS.COM
PRECISION • PASSION • PERFORMANCE


Please download the latest copy of this document from www.p3cars.com/install



13 Install the P3Cars VIDI display on the left first. Make sure the aluminum posts seat all the way into the holes in the side of the vent housing.



14 Seat the right side of the VIDI display.



15 Make sure the aluminum post are all the way seated as pictured.



16 Reinstall vent facia top clips first.

WARRANTY & LIABILITY:

Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



17 Seat the bottom clips all the way.



18 They should click into place and hold the facia firmly in place.



P3CARS.COM
PRECISION • PASSION • PERFORMANCE

Please download the latest copy of this document from www.p3cars.com/install



19 Image of finished gauge.

WARRANTY & LIABILITY:

Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.